



## SAFETY DATA SHEET

### Easy Sink & Pipe Unblocker

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

**Product name** Easy Sink & Pipe Unblocker  
**Product No.** 2001338  
**Internal Id** 00020193 (5 - 07/02/2011)  
**Container size** 1 Litre

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Sink and Pipe Unblocker  
**Uses advised against** Avoid contact with: Acids.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Jeyes Ltd  
 Brunel Way  
 Thetford  
 Norfolk  
 IP24 1HF  
 UK  
 +44 1842 757575  
 Contact: Rowland Furse / Simon Burt  
 Email: contact@jeyes.com

##### 1.4. Emergency telephone number

+44 1842 757575

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

###### **Classification (EC 1272/2008)**

|                               |                        |
|-------------------------------|------------------------|
| Physical and Chemical Hazards | Met. Corr. 1 - H290    |
| Human health                  | Skin Corr. 1B - H314   |
| Environment                   | Aquatic Acute 1 - H400 |

###### **Classification (1999/45/EEC)**

C;R34. N;R50.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

###### **Human health**

Causes severe skin burns and eye damage.

###### **Environment**

Very toxic to aquatic life.

###### **Physical and Chemical Hazards**

May be corrosive to metals.

##### 2.2. Label elements

###### **Contains**

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE  
 SODIUM HYDROXIDE

Label In Accordance With (EC) No. 1272/2008



## Easy Sink & Pipe Unblocker

|   |              |  |
|---|--------------|--|
| <b>Signal Word</b>                            | Danger       |  |
| <b>Hazard Statements</b>                      | H290         | May be corrosive to metals.  |
|   | H314         | Causes severe skin burns and eye damage.   |
|   | H400         | Very toxic to aquatic life.  |
| <b>Precautionary Statements</b>               | P101         | If medical advice is needed, have product container or label at hand.  |
|   | P102         | Keep out of reach of children.   |
|   | P280         | Wear protective gloves, eye and face protection.   |
|   | P302+352     | IF ON SKIN: Wash with plenty of soap and water.  |
| <b>Supplementary Precautionary Statements</b> | P301+330+331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |
|   | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|   | P310         | Immediately call a POISON CENTER or doctor/physician.  |
|   | P405         | Store locked up.   |
| <b>Supplemental label information</b>         | EUH206       | Warning! Do not use together with other products. May release dangerous gases (chlorine).  |

### 2.3. Other hazards

Not applicable.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

|   |  |
|---|--|
| <b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b>  | <b>5-10%</b>   |
| CAS-No.: 7681-52-9  | EC No.: 231-668-3                                    |
| Classification (EC 1272/2008)<br>EUH031<br>Skin Corr. 1B - H314<br>Aquatic Acute 1 - H400         | Classification (67/548/EEC)<br>C;R34<br>R31<br>N;R50 |
| <b>SODIUM HYDROXIDE</b>   | <b>1-5%</b>  |
| CAS-No.: 1310-73-2  | EC No.: 215-185-5                                    |
| Classification (EC 1272/2008)<br>Met. Corr. 1 - H290<br>Skin Corr. 1A - H314                      | Classification (67/548/EEC)<br>C;R35                 |
| <b>C10-16 Alcohol Ethoxylated Sulfate Sodium Salts (CESIO)</b>                                    | <b>1-5%</b>  |
| CAS-No.: 68585-34-2   | EC No.: 500-223-8                                    |
| Classification (EC 1272/2008)<br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318                        | Classification (67/548/EEC)<br>Xi;R38,R41.           |
| <b>Sodium Lauroyl Sarcosinate</b>   | <b>&lt; 1%</b>                                       |
| CAS-No.: 137-16-6   | EC No.: 205-281-5                                    |
| Classification (EC 1272/2008)<br>Acute Tox. 2 - H330<br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318 | Classification (67/548/EEC)<br>T;R23.<br>Xi;R38,R41. |

# Easy Sink & Pipe Unblocker

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### **Inhalation**

Unlikely route of exposure as the product does not contain volatile substances.

#### **Ingestion**

Immediately rinse mouth and provide fresh air. Do not induce vomiting. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Consult a physician for specific advice.

#### **Skin contact**

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

#### **Eye contact**

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

#### **Inhalation**

Unlikely route of exposure as the product does not contain volatile substances.

#### **Ingestion**

Severe irritation.

#### **Skin contact**

This chemical may cause skin/eye irritation and burns (corrosive).

#### **Eye contact**

This chemical may cause skin/eye irritation and burns (corrosive).

### 4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Extinguishing media**

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### **Unusual Fire & Explosion Hazards**

None known.

#### **Specific hazards**

The product is non-combustible. If heated, toxic vapours may be formed.

### 5.3. Advice for firefighters

#### **Special Fire Fighting Procedures**

Use protective equipment appropriate for surrounding materials.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see section 8.

### 6.2. Environmental precautions

Collect and dispose of spillage as indicated in section 13.

### 6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb with sand or other inert absorbent. Transfer to a container for disposal. For waste disposal, see section 13.

### 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

# Easy Sink & Pipe Unblocker

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Read label before use.

### 7.2. Conditions for safe storage, including any incompatibilities

Unsuitable containers: metals. Keep away from food, drink and animal feeding stuffs. Store in closed original container at temperatures between 5°C and 25°C.

#### Storage Class

Lagerklasse 8B

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

| Name             | STD | TWA - 8 Hrs |  | STEL - 15 Min |                     | Notes |
|------------------|-----|-------------|--|---------------|---------------------|-------|
| SODIUM HYDROXIDE | WEL |             |  |               | 2 mg/m <sup>3</sup> |       |

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### Hand protection

For prolonged or repeated skin contact use suitable protective gloves. Rubber gloves are recommended.

#### Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

#### Hygiene measures

Wash hands after handling.

#### Skin protection

Wear suitable protective clothing as protection against splashing or contamination.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                      |
|---|----------------------|
| <b>Appearance</b>                                   | Liquid               |
| <b>Colour</b>                                       | Yellow.              |
| <b>Odour</b>  | Chlorine.            |
| <b>Solubility</b>                                   | Soluble in water.    |
| <b>Initial boiling point and boiling range (°C)</b> | ca. 100°C 760 mm Hg  |
| <b>Melting point (°C)</b>                           | ca. 0°C              |
| <b>Relative density</b>                             | 1.090 - 1.120 @ 20°C |
| <b>Vapour density (air=1)</b>                       | Not applicable.      |
| <b>Vapour pressure</b>                              | Not applicable.      |
| <b>Evaporation rate</b>                             | Not applicable.      |
| <b>pH-Value, Conc. Solution</b>                     | 12.0 - 14.0          |
| <b>Viscosity</b>                                    | 600 - 900 cP @ 20°C  |

## Easy Sink & Pipe Unblocker

### Decomposition temperature (°C)

Not applicable.

### Odour Threshold, Lower

Not applicable.

### Odour Threshold, Upper

Not applicable.

**Flash point (°C)** > 61°C CC (Closed cup).

### Auto Ignition Temperature (°C)

Not applicable.

### Flammability Limit - Lower(%)

Not applicable.

### Flammability Limit - Upper(%)

Not applicable.

### Partition Coefficient (N-Octanol/Water)

Not applicable.

### Explosive properties

Not applicable.

### Oxidising properties

Not applicable.

## 9.2. Other information

Not available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

The solution is strongly alkaline and reacts with strong acids with heat generation.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

The solution is strongly alkaline and reacts with strong acids with heat generation.

### 10.4. Conditions to avoid

The solution is strongly alkaline and reacts with strong acids with heat generation. Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

#### Materials To Avoid

Acids.

### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Inhalation

Unlikely route of exposure as the product does not contain volatile substances.

#### Ingestion

Corrosive. Even small amounts may cause serious damage.

#### Skin contact

Corrosive. Prolonged contact causes serious tissue damage.

#### Eye contact

Corrosive. Prolonged contact causes serious eye and tissue damage.

#### Route of entry

Ingestion. Skin and/or eye contact.

# Easy Sink & Pipe Unblocker

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

### 12.1. Toxicity

#### Acute Fish Toxicity

Very toxic to aquatic organisms.

### 12.2. Persistence and degradability

#### Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

No data available on bioaccumulation.

#### Partition coefficient

Not applicable.

### 12.4. Mobility in soil

#### Mobility:

The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

**General** LIMITED QUANTITIES for ADR / RID / IMDG (not assessed for transportation via air (ICAO / IATA) under limited quantities).

### 14.1. UN number

UN No. (ADR/RID/ADN) 3266

UN No. (IMDG) 3266

UN No. (ICAO) 3266

### 14.2. UN proper shipping name

Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide)

### 14.3. Transport hazard class(es)

ADR/RID/ADN Class 8

ADR/RID/ADN Class Class 8: Corrosive substances.

ADR Label No. 8

IMDG Class 8

ICAO Class/Division 8

Transport Labels

## Easy Sink &amp; Pipe Unblocker

**14.4. Packing group**

|                           |     |
|---------------------------|-----|
| ADR/RID/ADN Packing group | III |
| IMDG Packing group        | III |
| ICAO Packing group        | III |

**14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant

**14.6. Special precautions for user**

|                         |          |
|-------------------------|----------|
| EMS                     | F-A, S-B |
| Emergency Action Code   | 2X       |
| Hazard No. (ADR)        | 80       |
| Tunnel Restriction Code | (E)      |

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not relevant

## SECTION 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

**Authorisations (Title VII Regulation 1907/2006)**

No specific authorisations are noted for this product.

**Restrictions (Title VIII Regulation 1907/2006)**

No specific restrictions of use are noted for this product.

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

**Revision Comments**

This is first issue.

|                      |                            |
|----------------------|----------------------------|
| <b>Issued By</b>     | Rowland Furse / Simon Burt |
| <b>Revision Date</b> | 30/09/2014                 |
| <b>Revision</b>      | 1                          |

## Easy Sink & Pipe Unblocker

### Risk Phrases In Full

R23 Toxic by inhalation. , R31 Contact with acids liberates toxic gas. , R34 Causes burns. , R35 Causes severe burns. , R38 Irritating to skin. , R41 Risk of serious damage to eyes. , R50 Very toxic to aquatic organisms.

### Hazard Statements In Full

EUH031 Contact with acids liberates toxic gas. , H290 May be corrosive to metals. , H314 Causes severe skin burns and eye damage. , H315 Causes skin irritation. , H318 Causes serious eye damage. , H330 Fatal if inhaled. , H400 Very toxic to aquatic life.