

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Viakal Professional Limescale Remover Spray
Product code : PA00191856
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK

Tel: 01932 896000 Fax: 01932 896200

Professional: customerservice@pgprof.com

1.4. Emergency telephone number

Emergency number : (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation
H315 - Causes skin irritation

Precautionary statements (CLP) : P102 - Keep out of reach of children
P101 - If medical advice is needed, have product container or label at hand
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P302+P352 - IF ON SKIN: Wash with plenty of Water
P260 - Do not breathe spray
Do not mix with bleach or other cleaning products

2.3. Other hazards

Other hazards not contributing to the classification : No presence of PBT and vPvB ingredients.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Formic Acid	(CAS No) 64-18-6 (EC no) 200-579-1 (EC index no) 607-001-00-0	1 - 5	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Citric Acid	(CAS No) 77-92-9 (EC no) 201-069-1 (REACH-no) 01-2119457026-42	1 - 5	Eye Irrit. 2, H319
Deceth-8	(CAS No) 26183-52-8 (EC no) Polymer	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
C9-11 Pareth-8	(CAS No) 68439-46-3 (EC no) Polymer	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. Discontinue use of product.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Coughing. sneezing. Headache. Drowsiness. Dizziness. Shortness of breath.
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact	: Severe pain. Rednesses. Swelling. Blurred vision.
Symptoms/injuries after ingestion	: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard. Non combustible.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known.

5.3. Advice for firefighters

Firefighting instructions	: No specific firefighting instructions required.
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection.

6.1.2. For emergency responders

Protective equipment : Wear suitable gloves and eye/face protection.

6.2. Environmental precautions

Consumer products ending up down the drain after use. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment	: Scoop absorbed substance into closing containers.
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Refer to Sections 8 and 13.

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Refer to section 10.
Incompatible products : Refer to section 10.
Incompatible materials : Refer to section 10.
Prohibitions on mixed storage : Not applicable.
Storage area : Store in a cool area. Store in a dry area.

7.3. Specific end use(s)

Refer to section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

Formic Acid (64-18-6)		
United Kingdom	WEL TWA (mg/m ³)	9.6 mg/m ³
United Kingdom	WEL TWA (ppm)	5 ppm

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Formic Acid (64-18-6)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	19 mg/m ³
Long-term - local effects, inhalation	9.5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	9.5 mg/m ³
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0.2 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	13.4 mg/kg dwt
PNEC sediment (marine water)	1.34 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	7.2 mg/l
Citric Acid (77-92-9)	
PNEC (Water)	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	33.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l

8.2. Exposure controls

8.2.1. Appropriate engineering controls : No additional information available

8.2.2. Personal protective equipment

Eye protection : Wear eye/face protection.

Skin and body protection : Wear suitable gloves.

Respiratory protection : Not applicable.

Thermal hazard protection : Not applicable.

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.3. Environmental exposure controls

Prevent that the undiluted product reaches surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes
Appearance	Liquid.		
Physical state	Liquid		
Colour	Colourless.		
Odour	Perfumed.		
Odour threshold		ppm	Perceived odor at typical use conditions
pH	2.2		
Melting point		°C	Not available. This property is not relevant for the safety and classification of this product
Freezing point			Not available. This property is not relevant for the safety and classification of this product
Boiling point	95	°C	
Flash point			No flash point till boiling - TMR. A.9.
Relative evaporation rate (butylacetate=1)			Not available. This property is not relevant for the safety and classification of this product
Flammability (solid, gas)			Not applicable. This property is not relevant for liquid product forms
Explosive limits		g/m ³	Not available. This property is not relevant for the safety and classification of this product
Vapour pressure			Not available. This property is not relevant for the safety and classification of this product
Relative density	1.02		
Solubility	Soluble in water. TMR. A.6.		
Log Pow			Not applicable. This property is not relevant for mixtures
Auto-ignition temperature			Not available. This property is not relevant for the safety and classification of this product
Decomposition temperature		°C	Not available. This property is not relevant for the safety and classification of this product
Viscosity	173	cP	
Explosive properties	Not applicable. This product is not classified as explosive as it does not contain any substances which possesses explosive properties CLP (Art 14 (2)).		
Oxidising properties	Not applicable. This product is not classified as oxidizing as it does not contain any substances which possesses oxidizing properties CLP (Art 14 (2)).		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

Not required for normal conditions of use.

10.5. Incompatible materials

Not applicable.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1. Mixture

Viakal Professional Limescale Remover Spray	
Acute toxicity	Not classified (*)
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Not classified (*)
Germ cell mutagenicity	Not classified (*)
Carcinogenicity	Not classified (*)
Reproductive toxicity	Not classified (*)
Specific target organ toxicity (single exposure)	Not classified (*)
Specific target organ toxicity (repeated exposure)	Not classified (*)
Aspiration hazard	Not classified (*)

(*) Based upon available data of the substances and/or the product, product classification criteria are not met. See Section 2 and Section 16 for applicable hazard classification and classification procedure, respectively.

11.1.2. Substances in the mixture

Acute toxicity:

Deceth-8 (26183-52-8)	
LD50 oral rat	>300-2000 mg/kg bw
C9-11 Pareth-8 (68439-46-3)	
LD50 oral rat	>300-2000 mg/kg bw
Citric Acid (77-92-9)	
LD50 oral rat	5400 mg/kg (//OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Formic Acid (64-18-6)	
LC50 fishes 1	46.7 (46 - 100) mg/l <i>Leuciscus idus melanotus</i>
LC50 other aquatic organisms 1	46.7 mg/l <i>Pseudomonas putida</i>
EC50 Daphnia 1	120 mg/l <i>Daphnia magna</i>
ErC50 (algae)	26.9 mg/l <i>Desmodesmus subspicatus</i>
NOEC chronic crustacea	72 mg/l
NOEC chronic algae	76.8 mg/l OECD 201; <i>Pseudokirchnerella subcapitata</i>
Deceth-8 (26183-52-8)	
LC50 fishes 1	10 mg/l
EC50 Daphnia 1	10 mg/l
EC50 other aquatic organisms 1	140 mg/l
ErC50 (algae)	10 mg/l
Citric Acid (77-92-9)	
LC50 fishes 1	440 ml/l //OECD 203, <i>Leuciscus idus melanotus</i>
EC50 Daphnia 1	1535 mg/l <i>Daphnia magna</i>
NOEC chronic algae	4425 mg/l <i>Scenedesmus quadricauda</i>

12.2. Persistence and degradability

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Formic Acid (64-18-6)	
Biodegradation	100 % OECD 301 C
Deceth-8 (26183-52-8)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
Biodegradation	> 60 %
Citric Acid (77-92-9)	
Persistence and degradability	Biodegradable.
Biodegradation	100 % OECD 301 E

12.3. Bioaccumulative potential

Formic Acid (64-18-6)	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
Citric Acid (77-92-9)	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

12.4. Mobility in soil

Formic Acid (64-18-6)	
Log Koc	< 17.8 OECD 121
Deceth-8 (26183-52-8)	
Mobility in soil	2000 (≥ 5000)

12.5. Results of PBT and vPvB assessment

Viakal Professional Limescale Remover Spray	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Formic Acid (64-18-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Citric Acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- 13.1.1. Regional legislation (waste) : Disposal must be done according to official regulations.
- 13.1.2. Disposal recommendations : The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
- 13.1.3. EURAL Waste code product : 20 01 29* - detergents containing dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

Ingredient label : <5% Non-ionic surfactants; Perfumes, Benzyl salicylate, Hexyl cinnamal.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Other information, restriction and prohibition regulations : Classification according to Regulation (EC) No. 1272/2008 [CLP]. Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

Indication of changes : Change in SECTION 2: Hazards identification
Change in SECTION 3: Composition/information on ingredients
Change in SECTION 8: Exposure controls/personal protection
Change in SECTION 9: Physical and chemical properties
Change in SECTION 11: Toxicological information
Change in SECTION 16: Other information

16.2. Abbreviations and acronyms

LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC(s): Predicted No Effect Concentration(s). vPvB: Very Persistent and Very Bioaccumulative. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate.

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	classification procedure
Skin Irrit. 2	Calculation method
Eye Irrit. 2	Expert judgment Weight of evidence

16.4. Relevant R-phrases and/or H-statements (number and full text) for mixture and substances

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACH Registration number are exempt, based on Annex V

SDS P&G CLP

Viakal Professional Limescale Remover Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product