FLY KILLER 400 ML - WATER BASED

Page: 1 Compilation date: 30/06/2016

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FLY KILLER 400 ML - WATER BASED

Product code: FFK-400ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

- Company name: GPP HYGIENE
 - BOWCARE HOUSE
 - STEPHENSON DRIVE
 - WATERWELLS
 - GLOUCESTER
 - GL2 2AG
 - Tel: 08455 193155
 - Fax: 08455 193166
 - Email: sales@gpphygiene.co.uk

1.4. Emergency telephone number

Emergency tel: 08455 193155

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Flam. Gas 1: H220; Skin Sens.
	1: H317
Most important adverse effects:	Extremely flammable gas. May cause an allergic skin reaction. Very toxic to
	aquatic life. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H220: Extremely flammable gas.		
	H317: May cause an allergic skin reaction.	
	H400: Very toxic to aquatic life.	
	H410: Very toxic to aquatic life with long lasting effects.	
Hazard pictograms:	GHS02: Flame	
	GHS07: Exclamation mark	
	GHS09: Environmental	

FLY KILLER 400 ML - WATER BASED



Signal words:	Danger
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P321: Specific treatment (see instructions on this label)
2.2 Other hazarda	

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BUTANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-448-7	106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10-30%

PROPANE

200-827-9	74-98-6	Substance with a Community	Flam. Gas 1: H220; Press. Gas:	1-10%
		workplace exposure limit.	H280	

ISOBUTANE

200-857-2	75-28-5	Substance with a Community	Flam. Gas 1: H220; Press. Gas:	1-10%
		workplace exposure limit.	H280	

ETHANOL

200-578-6	64-17-5	Substance with a Community	Flam. Liq. 2: H225	1-10%
		workplace exposure limit.		

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

258-067-9	52645-53-1	-	Acute Tox. 4: H332; Acute Tox. 4:	<1%
			H302; Skin Sens. 1: H317; Aquatic	
			Chronic 1: H410; Aquatic Acute 1:	
			H400	

Page: 2

FLY KILLER 400 ML - WATER BASED

Page: 3

1-CYCLOHEXE	51-03-6 NE-1,2DICA 7696-12-0	- RBOXIMIDO-METHYL 2,2- DI	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%			
214-619-0							
ection 4: First ai	7696-12-0		1-CYCLOHEXENE-1,2DICARBOXIMIDO-METHYL 2,2- DIMETHYL-3-(2METHYLPROPENYL)				
		-	Acute Tox. 4: H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%			
4.1. Description of	d measure	S					
	of first aid r	neasures					
Ski	n contact:	Remove all contaminated cloth	nes and footwear immediately unless stuck to sk	in.			
		Wash immediately with plenty	of soap and water. Consult a doctor.				
Ey	e contact:	Bathe the eye with running wa	ter for 15 minutes. Consult a doctor.				
i	Ingestion:	Wash out mouth with water. C	onsult a doctor.				
I	nhalation:	Remove casualty from exposu	ire ensuring one's own safety whilst doing so. Co	onsult			
		a doctor.					
4.2. Most important symptoms and effects, both acute and delayed							
Skin contact: There may be irritation and redness at the site of contact.							
		There may be irritation and redness. The eyes may water profusely.					
-		There may be soreness and redness of the mouth and throat.					
I	nhalation:	Exposure may cause coughing or wheezing.					
Delayed / immediate effects: Delayed effects can be expected after long-term exposure.							
4.3. Indication of	any immed	iate medical attention and sp	pecial treatment needed				
mediate / special t	treatment:	Not applicable.					
ection 5: Fire-fig	hting mea	sures					
5.1. Extinguishing	g media						
Extinguishi	ng media:	Suitable extinguishing media f	or the surrounding fire should be used.				
5.2. Special hazar	rds arising	from the substance or mixtu	re				
Exposure	e hazards:	In combustion emits toxic fum	es.				
5.3. Advice for fire	e-fighters						
Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent							
		contact with skin and eyes.					
ection 6: Accide	ntal releas	e measures					
6.1. Personal pre	cautions, p	rotective equipment and eme	ergency procedures				
				D of			
Personal pre	ecautions:	Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Refer to section 8 of SDS for personal protection details.					

FLY KILLER 400 ML - WATER BASED

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the

air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

BUTANE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1450 mg/m3	1810 mg/m3	-	-

Respirable dust

PROPANE

UK	1800 mg/m3	7200 mg/m3	-	-

ISOBUTANE

UK	2400 mg/m3	9600 mg/m3	-	-			
ETHANOL							
UK	1920 mg/m3	-	-	-			

DNEL/PNEC Values

DNEL / PNEC No data available.

FLY KILLER 400 ML - WATER BASED

Page: 5

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.
Respiratory protective device with particle filter.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Gas

Colour: Colourless

Odour: Characteristic odour

Relative density: >1

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

FLY KILLER 400 ML - WATER BASED

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

ORL	MUS	LD50	424	mg/kg
ORL	RAT	LD50	383	mg/kg
SKN	RAT	LD50	1750	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

FLY KILLER 400 ML - WATER BASED

Page: 7

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Marine pollutant: No

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

FLY KILLER 400 ML - WATER BASED

H225: Highly flammable liquid and vapour.
H302: Harmful if swallowed.
H317: May cause an allergic skin reaction.
H332: Harmful if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable

for any damage resulting from handling or from contact with the above product.

Page: 8