According regulation (EC) No. 1907/2006

Page: 1

Compilation date: 18.02.2011

Revision date: 15.03.2013

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Detergent Tab for RATIONAL SelfCooking Center®, Art.-No. 56.00.206, 56.00.210, 56.00.220

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaner for professional users

1.3. Details of the supplier of the safety data sheet


Company name: Rational AG

Iglinger Strasse 62 D - 86899 Landsberg

Germany

Tel: +49 (0)8191 - 3270 **Fax:** +49 (0)8191 - 21735

Email: reinigung@rational-online.de



Emergency tel: +49 (0)89 - 19240

(24 hours Giftnotruf München)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: C: R35

Classification under CLP: * Skin Corr. 1A: H314

Most important adverse effects: Causes severe burns.

2.2. Label elements

*Label elements under CLP:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

Hazard components for labeling: Sodium hydroxide

Sodium metasilicate

Fatty alcohol ethoxylate

Precautionary statements: P102: Keep out of reach of children.

P101: If medical advice is needed, have product container or label at hand.

 ${\tt P280: Wear \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection.}$

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse



Detergent Tab for RATIONAL SelfCooking Center®

Page: 2

skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor.

P501: Dispose of the contents as problem waste.

Label elements under CHIP:

Hazard symbols: Corrosive.



Risk phrases: R35: Causes severe burns.

Safety phrases: S1/2: Keep locked up and out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S28: After contact with skin, wash immediately with plenty of water.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM HYDROXIDE

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
215-185-5	1310-73-2	C: R35	Skin Corr. 1A: H314	>20%	
DISODIUM METASILICATE					

229-912-9 6834-92-0 C: R34; Xi: R37	Skin Corr. 1B: H314; STOT SE 3: H335	10-20%	
-------------------------------------	--------------------------------------	--------	--

SODIUM CARBONATE

207-838-8	497-19-8	Xi: R36	Eye Irrit. 2: H319	10-20%
			, , , , , , , , , , , , , , , , , , , ,	

Detergent Tab for RATIONAL SelfCooking Center®

Page: 3

FATTY ALCOHOL ETHOXYLATE

-	111190-40-0	Xi: R41; N: R50	Eye Dam. 1: H318; Aquatic Acute 1:	1-5%
			H400	

Non-hazardous ingredients:

SODIUM TRIPOLYPHOSPHATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-838-7	7758-29-4	-	-	<20%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer

to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Do not

induce vomiting. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental release measures

Detergent Tab for RATIONAL SelfCooking Center®

Page: 4

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable

method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK		2 mg/m³	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (alkali-resistant). Breakthrough time of the glove material < 1 hour.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid
Colour: White

Detergent Tab for RATIONAL SelfCooking Center®

Page: 5

Odour: Characteristic odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Flash point°C: >93 Relative density: 1100 g/l

pH: 12.7

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Humidity.

10.5. Incompatible materials

Materials to avoid: Acids. Metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. Contact with acids liberates toxic gas.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
Fatty alcohol ethoxylate: ORL	RAT	LD50	>2000	mg/kg
Sodium carbonate: ORL	RAT	LD50	>2000	mg/kg
Sodium metasilicate: ORL	RAT	LD50	1280	mg/kg
NaOH: ORL	RAT	LD50	2000	mg/kg

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Detergent Tab for RATIONAL SelfCooking Center®

Page: 6

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
Alcohol alcoxylate: Leuciscus idus	96H LC50	0,1-1	mg/l
Daphnia magna	100H EC50	247	mg/l
Sodium metasilicate: Danio rerio	96H LC50	210	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 20 01 29

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3262

*14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE; DISODIUM METASILICATE)

Limited Quantity: 1kg

Detergent Tab for RATIONAL SelfCooking Center®

Page: 7

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No.

1907/2006.

* indicates text in the SDS which has changed since the last revision.

Data references: Safety data sheets from our raw material suppliers

Phrases used in s.2 and 3: H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

R34: Causes burns.

R35: Causes severe burns.

R36: Irritating to eyes.

R37: Irritating to respiratory system.

R41: Risk of serious damage to eyes.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.