













A Coventry Group Company

# SAFETY DATA SHEET 5L BACTERICIDAL WASHING UP LIQUID

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name 5L BACTERICIDAL WASHING UP LIQUID

**Product number** 800-192-0007

**UFI**: 04RF-29T4-T2SJ-J343

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant. Detergent.

Uses advised against Not for Oral Consumption.

## 1.3. Details of the supplier of the safety data sheet

Supplier MIRIUS ™

A Coventry Group Company Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX

www.mirius.com info@mirius.com +442476639739

Contact person For content of safety data sheet:, sds@mirius.com

# 1.4. Emergency telephone number

National emergency telephone UK:

**number** In case of a medical emergency following exposure to a chemical call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

#### 2.2. Label elements

## Hazard pictograms



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

> P280 Wear protective gloves, eye and face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P501 Dispose of contents/ container in accordance with local regulations.

Contains QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES, ALCOHOLS, C12-14, ETHOXYLATED, COCONUT DIETHANOLAMIDE,

LIMONENE

**Biocide Labelling** This product contains substances with biocidal properties., Contains active substance:

Alkylb(C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) 4g/100g

**Detergent labelling** < 5% disinfectants, < 5% non-ionic surfactants, < 5% perfumes

Supplementary precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

P362+P364 Take off contaminated clothing and wash it before reuse.

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

# QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

CAS number: 68424-85-1

EC number: 270-325-2

M factor (Acute) = 1

# Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400

# ALCOHOLS, C12-14, ETHOXYLATED

1-5%

1-5%

CAS number: 68439-50-9 EC number: 500-213-3

## Classification

Acute Tox. 4 - H302 Eve Dam. 1 - H318 Aquatic Chronic 3 - H412

# **5L BACTERICIDAL WASHING UP LIQUID**

COCONUT DIETHANOLAMIDE 1-5%

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

LIMONENE <1%

CAS number: 138-86-3 EC number: 205-341-0

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 R10 R43 Xi;R38 N;R50/53

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

# 4.1. Description of first aid measures

**General information** Provide eyewash station.

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

or persist after washing. Show this Safety Data Sheet to the medical personnel.

## 4.2. Most important symptoms and effects, both acute and delayed

**General information** Provide eyewash station.

**Inhalation** Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of

GI Tract. A soapy taste may be reported.

**Skin contact** Prolonged contact may cause redness, irritation and dry skin.

Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the

following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage.

Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

# **5L BACTERICIDAL WASHING UP LIQUID**

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

## 5.3. Advice for firefighters

Protective actions during firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

## SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8. Treat the spilled material according to the instructions

in the clean-up section. Take care as floors and other surfaces may become slippery.

## 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

# 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,

sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective

clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do

not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room

temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

## 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

# ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

**DNEL** Workers - Inhalation; Long term systemic effects: 294 mg/m³

Workers - Dermal; Long term systemic effects: 2080 mg/kg/day

General population - Inhalation; Long term systemic effects: 87 mg/m³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC - Fresh water; 0.0437 mg/l

- Intermittent release; 0.004 mg/l

- STP; 10 mg/l

Sediment (Freshwater); 31 mg/kgSediment (Marinewater); 31 mg/kg

- Soil; 1 mg/kg

## **COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)**

**DNEL** Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm<sup>2</sup>

General population - Inhalation; Long term systemic effects: 21.73 mg/m³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC - Fresh water; 0.007 mg/l

- marine water; 0.001 mg/l

- STP; 830 mg/l

Sediment (Freshwater); 0.195 mg/kgSediment (Marinewater); 0.019 mg/kg

- Soil; 0.035

# **DIETHANOLAMINE (CAS: 111-42-2)**

**DNEL** Workers - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 0.13 mg/cm<sup>2</sup>

General population - Inhalation; Long term local effects: 0.25 mg/m³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l

- marine water; 0.002 mg/l

- STP; 100 mg/l

Sediment (Freshwater); 0.092 mg/kgSediment (Marinewater); 0.009 mg/kg

- Soil; 0.007 mg/kg

## 8.2. Exposure controls

# Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eyewface protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is

suggested. Gloves should be inspected regularly for damage.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate

hand lotion to prevent defatting and cracking of skin.

Hygiene measures Good personal hygiene procedures should be implemented. Wash hands and any other

contaminated areas of the body with soap and water before leaving the work site. Use

appropriate skin cream to prevent drying of skin.

**Respiratory protection** Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Blue.

Odour Mild.

Odour threshold Not applicable.

**pH** 6.5-8.5

Melting point Not applicable.

Flash point Not applicable.

**Evaporation rate** Not applicable.

**Evaporation factor** Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability

Not applicable.

Vapour pressure

Not applicable.

Vapour density Not applicable.

Relative density ~ 1.005 typically @ 20°C

Bulk density Not applicable.

Soluble in water.

# **5L BACTERICIDAL WASHING UP LIQUID**

Partition coefficientNot applicable.Auto-ignition temperatureNot applicable.Decomposition TemperatureNot applicable.

Viscosity No information available.

Explosive properties Not applicable

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** Under normal storage conditions this product is stable.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

## 10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

## SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 7,213.5

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 39,000.0

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

## **5L BACTERICIDAL WASHING UP LIQUID**

Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation. Calculation method.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. Calculation method.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged or repeated exposure

may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild

dermatitis, allergic skin rash.

Eye contact Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and

blurred vision. Corneal damage.

11.2 Information on other

hazards

11.2.1. Endocrine disrupting

properties

This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

11.2.2 Other information

Toxicological information on ingredients.

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 397.5

mg/kg)

**Species** Rat

**ATE oral (mg/kg)** 397.5

Acute toxicity - dermal

# **5L BACTERICIDAL WASHING UP LIQUID**

ATE dermal (mg/kg) 1,560.0

ALCOHOLS, C12-14, ETHOXYLATED

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

2,000.0

Notes (oral LD50) Based on available data the classification criteria are not met. REACH dossier

information.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,000.1

mg/kg)

**Species** Rat

Notes (dermal LD₅₀) Based on available data the classification criteria are not met. REACH dossier

information.

2,000.1 ATE dermal (mg/kg)

Acute toxicity - inhalation

Based on available data the classification criteria are not met. REACH dossier Notes (inhalation LC₅₀)

information.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met. REACH dossier

information.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met. REACH dossier

information.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met. REACH dossier

information.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

**COCONUT DIETHANOLAMIDE** 

# **5L BACTERICIDAL WASHING UP LIQUID**

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,001.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

Species Rabbit

**ATE dermal (mg/kg)** 2,001.0

LIMONENE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

**Species** 

Rat

5,001.0

**ATE oral (mg/kg)** 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 5,001.0

mg/kg)

Species Rabbit

**ATE dermal (mg/kg)** 5,001.0

# SECTION 12: Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product. Not regarded as dangerous for the

environment.

12.1. Toxicity

**Toxicity** Not considered toxic to fish.

Ecological information on ingredients.

# QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 0.85 – 1.2 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.02 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC₅o, 96 hours: 0.06 mg/l, Algae

ALCOHOLS, C12-14, ETHOXYLATED

# **5L BACTERICIDAL WASHING UP LIQUID**

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 0.876 mg/l, Fish

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 0.39 mg/l, Daphnia magna

**invertebrates** REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early EC<sub>20</sub>, 30 days: 1.09 mg/l, Pimephales promelas (Fat-head Minnow)

life stage

REACH dossier information.

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 0.77 mg/l, Daphnia magna

**COCONUT DIETHANOLAMIDE** 

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 2.4 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 3.2 mg/l, Daphnia magna

**LIMONENE** 

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute) 1

Chronic aquatic toxicity

**NOEC**  $0.01 < NOEC \le 0.1$ 

**Degradability** Rapidly degradable

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Persistence and degradability

The substance is readily biodegradable.

ALCOHOLS, C12-14, ETHOXYLATED

**Biodegradation** The substance is readily biodegradable.

REACH dossier information.

12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not applicable.

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

## **5L BACTERICIDAL WASHING UP LIQUID**

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

## ALCOHOLS, C12-14, ETHOXYLATED

Adsorption/desorption coefficient

- Log Koc: 3.7-4.5 @ °C REACH dossier information.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Endocrine disrupting

properties

properties

**Endocrine disrupting** This product is not classified as, nor contains substances classed as having endocrine

disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

## ALCOHOLS, C12-14, ETHOXYLATED

**Results of PBT and vPvB** This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

Reuse or recycle products wherever possible.

# SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

# 14.5. Environmental hazards

# **5L BACTERICIDAL WASHING UP LIQUID**

Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations GB (UK) CLP and REACH Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as

amended).

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI

2019 No. 696) (as amended).

The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents

(Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2020 - as amended

**EU** legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (as amended)

European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended).

European Regulation (EC) No 648/2004 on detergents (as amended).

European Regulation (EU) No 528/2012 concerning the making available on the market and

use of biocidal products (BPR) as amended.

Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

**Guidance** Workplace Exposure Limits EH40.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

COSHH Essentials.

Technical Guidance WM2: Hazardous Waste.

## 15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

## SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

DNEL: Derived No Effect Level.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

Revision comments New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of

28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous

revision.

Revision date 19/12/2024

Revision 7

Supersedes date 12/07/2018

Risk phrases in full R21/22 Harmful in contact with skin and if swallowed.

R34 Causes burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----