

SAFETY DATA SHEET Bowcare Traffic Film Remover 25L

Page 1/3

Issued: 28.11.2013

Revision 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product name: Bowcare Traffic Film Remover 25L

Product code: 48.3029

Company name: GPP Hygiene

Bowcare House, Stephenson Drive

Waterwells Business Park

Quedgeley

Gloucestershire

GL2 2AG

Emergency Tel: 01495 792929

2. Composition/Information on Ingredients

Ingredient	Contents	Einecs	Cas Number	Health Risk (Class) (R. No.)
Non-ionic	1-5%			[Xn] R22: Harmful if swallowed;
Surfactants				[Xi] R36/38: Irritating to eyes and skin;
				[-] R53: May cause long-term adverse
				effects in the aquatic environment.
Cationic Surfactant	<1%	273-544-1	68989-00-4	[C] R34: Causes burns;
				[Xn] R21/22: Harmful in contact with skin
				and if swallowed.
Disodium	1-5%	229-912-9	6834-92-0	[C] R34: Causes burns;
Metasilicate				[Xi] R37: Irritating to respiratory system.

3. Hazards Identification

Main hazards: Irritating to eyes and skin.

4. First Aid Measures (Symptoms)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be

severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. First Aid Measures (Action)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for

specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a

litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.



SAFETY DATA SHEET Bowcare Traffic Film Remover 25L

Page 2/3 Issued: 28.11.2013

Revision 1

5. Fire Fighting Measures

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water

spray to cool containers.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire Wear self-contained breathing apparatus. Wear protective clothing to prevent

fighters: contact with skin and eyes.

6. Accidental Release Measures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing – see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

Environmental Do not discharge into drains or rivers. Contain the spillage using bunding.

precautions:

Clean up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container

for disposal by an appropriate method.

7. Handling and Storage

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of

the area. Avoid the formation or spread of mists in the air.

Storage conditions: Store in cool, well-ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

8. Exposure Controls/Personal Protection

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. Physical and Chemical Properties

State: Liquid.

Colour: Colourless.

Odour: Characteristic odour.

Oxidising: Non-oxidising (by EC criteria).

Solubility in water: Soluble.

Relative density: 1.05

pH: 12.5



SAFETY DATA SHEET Bowcare Traffic Film Remover 25L

Page 3/3 Issued: 28.11.2013

Revision 1

10. Stability and Reactivity

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Hazard decomposition In combustion emits toxic fumes.

products:

11. Toxicological Information

Hazardous ingredients: Non-ionic surfactants - ORL RAT LD50 < 2000 mg/kg.

Disodium Metasilicate – ORL MUS LD50 770 mg/kg; ORL RAT LD50 mg/kg.

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. Ecological Information

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. Disposal Considerations

NB: The user's attention is drawn to the possible existence of

regional or national regulations regarding disposal.

14. Transport Information

15. Regulatory Information

Hazard symbols: Irritant.

Risk phrases: R36/38: Irritating to eyes and skin.

Note: The regulatory information given above only indicates the principal

regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions that complete these regulations. Refer to all applicable national,

international and local regulations or provisions.

16. Additional Information

Legal Disclaimer: The above information is believed to be correct but does not purport to be

all-inclusive and shall be used only as a guide. The company shall not be held liable for any damage resulting from handling or from contact with the

above product.