

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/26/2015 Revision date: 1/20/2025 Supersedes version of: 8/19/2021 Version: 11.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Bowcare Professional Purple Beer Line Cleaner

UFI : A7K8-E02C-A00S-P64U

Product code : 48.3910

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Cleaning Product

Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

#### 1.3. Details of the supplier of the safety data sheet

GPP Hygiene Bowcare House Stephenson Drive Waterwells Gloucester GL2 2AG

Tel: 01452 883447

E-mail: sales@gpphygiene.co.uk

#### 1.4. Emergency telephone number

Emergency number : 08455 193155

Office hours only.

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

S05 GHS09

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda; sodium hypochlorite, solution... % Cl active

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hypochlorite, solution % Cl active	CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	≥1-<5	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥1-<5	Skin Corr. 1A, H314
potassium permanganate	CAS-No.: 7722-64-7 EC-No.: 231-760-3 EC Index-No.: 025-002-00-9 REACH-no: 01-2119480139- 34	≥ 0.1	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Repr. 2, H361d STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:					
Name	Product identifier	Specific concentration limits (%)			
sodium hypochlorite, solution % CI active	CAS-No.: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	(5 ≤ C ≤ 100) EUH031			
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314			

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

1/20/2025 (Revision date) GB - en 3/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

Packaging materials : Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

National occupational exposure and biological limit values

#### sodium hydroxide; caustic soda (1310-73-2)

#### **Ireland - Occupational Exposure Limits**

Local name Sodium hydroxide

1/20/2025 (Revision date) GB - en 4/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sodium hydroxide; caustic soda (1310-73-2)				
OEL STEL 2 mg/m³				
Remark Advisory OELV (Advisory Occupational Exposure Limit Values)				
Regulatory reference Chemical Agents Code of Practice 2024				
United Kingdom - Occupational Exposure Limits				
Local name Sodium hydroxide				
WEL STEL (OEL STEL) 2 mg/m³				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				

### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):







#### Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses

## **Skin protection**

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves. Chemical resistant gloves (according to European standard ISO 374-1 or equivalent)

#### **Respiratory protection**

## Respiratory protection:

Not required under normal conditions of use.

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Purple.
Odour : Hypochlorite.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : Not available Flammability : Not available Lower explosion limit : Not available : Not available Upper explosion limit Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available : > 11.5 рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure Not available Vapour pressure at 50°C Not available : 1.08 – 1.11 Density Not available Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

potassium permanganate (7722-64-7)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Derma
LD30 dermai rabbit	Toxicity), Guideline: other:16 CFR 1500.40
Skin corrosion/irritation	: Causes severe skin burns.
	pH: > 11.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: > 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
potassium permanganate (7722-64-	7)
NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
NOAEL (dermal, rat/rabbit, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

#### 11.2. Information on other hazards

No additional information available

STOT-repeated exposure

## **SECTION 12: Ecological information**

## 12.1. Toxicity

: Very toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

(chronic)

(chronic)					
potassium permanganate (7722-64-7)					
LC50 - Fish [1] 0.47 mg/l Test organisms (species): Poecilia reticulata					
EC50 - Crustacea [1] 0.06 mg/l Test organisms (species): Daphnia magna					
sodium hydroxide; caustic soda (1310-73-2)					
EC50 - Crustacea [1] 40.4 mg/l Test organisms (species): Ceriodaphnia sp.					
sodium hypochlorite, solution % CI active (	7681-52-9)				
EC50 - Crustacea [1] 141 µg/l Test organisms (species): Daphnia magna					
EC50 - Crustacea [2] 35 μg/l Test organisms (species): Ceriodaphnia dubia					
EC50 72h - Algae [1] 0.0365 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous nam Raphidocelis subcapitata, Selenastrum capricornutum)					
EC50 72h - Algae [2] 0.0183 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous name Raphidocelis subcapitata, Selenastrum capricornutum)					

## 12.2. Persistence and degradability

Bowcare Professional Purple Beer Line Cleaner		
Persistence and degradability	Rapidly degradable	

1/20/2025 (Revision date) 7/12 GB - en

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium permanganate (7722-64-7)				
Persistence and degradability Not rapidly degradable				
sodium hydroxide; caustic soda (1310-73-2)				
Persistence and degradability Not rapidly degradable				
sodium hypochlorite, solution… % Cl active (7681-52-9)				
Persistence and degradability Not rapidly degradable				

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Additional information

Sewage disposal recommendations

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Disposal must be done according to official regulations.

: Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations. Disposal must be done according to official regulations.

: Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 20 01 29\* - detergents containing dangerous substances

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR IMDG		IATA	ADN	RID			
14.1. UN number or ID number							
UN 1719	UN 1719	UN 1719	UN 1719	UN 1719			
14.2. UN proper shippin	g name						
CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda)	Caustic alkali liquid, n.o.s. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda)			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR IMDG IATA ADN RID									
AUR	IMDG	IATA	ADN	עוא					
Transport document description									
UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda), 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1719 Caustic alkali liquid, n.o.s. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS					
14.3. Transport hazard	class(es)								
8	8	8	8	8					
8	8	8	8	8					
14.4. Packing group									
II	II	II	II	II					
14.5. Environmental haz	ards								
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes					
No supplementary information available									

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Hazard identification number (Kemler No.) : 80
Orange plates :

80 1719

Tunnel restriction code (ADR) : E EAC code : 2R

## Transport by sea

Special provisions (IMDG): 274Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T11Tank special provisions (IMDG): TP2, TP27Stowage category (IMDG): A

1/20/2025 (Revision date) GB - en 9/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Segregation (IMDG) : SG22, SG35

Properties and observations (IMDG) : Corrosive to aluminium, zinc and tin. Reacts violently with acids. Reacts with ammonium

salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) · 30I : A3, A803 Special provisions (IATA) ERG code (IATA) : 8L

#### **Inland waterway transport**

Classification code (ADN) : C5
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### Rail transport

: C5 Classification code (RID) · 274 Special provisions (RID) Limited quantities (RID) : 1L : E2 Excepted quantities (RID) : P001, IBC02 Packing instructions (RID) Mixed packing provisions (RID) : MP15 Portable tank and bulk container instructions (RID) : T11 Portable tank and bulk container special provisions : TP2, TP27

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Potassium permanganate		7722-64-7	2841 61 00	Category 2	100 kg	Annex I, Annex II

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH031	Contact with acids liberates toxic gas.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.