

SAFETY DATA SHEET

BowstarEco HandiShot H6 Heavy Duty Cleaner Degreaser Conc.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : BowstarEco HandiShot H6 Heavy Duty Cleaner Degreaser Conc.

UFI : 107.3066

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Professional use.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of product safety information sheet

Supplier GPP Hygiene

Bowcare House Stephenson Drive Waterwells Gloucester GL2 2AG

Tel: 01452 883447

E-mail: sales@gpphygiene.co.uk

Contact person For content of safety data sheet: technical@orcahygiene.com

Manufacturer Orca Hygiene

Blackhouse Circle,

Blackhouse Industrial Estate, Peterhead, AB42 1BN +44 (0)1779 871945 technical@orcahygiene.com

1.4. Emergency telephone number

Emergency telephone +44 (0)1779 871945

National emergency telephone For the emergency services - the ambulance, police and fire services - Tel: 999 /

number When you need medical advice or treatment but it is not an emergency - Tel: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1

Full text of H- and EUH-statements: see section 16

H314

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage..

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce

vomiting. Immediately call a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014- 00-0 REACH-no: 01- 2119475108-36	1-5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002- 00-6 REACH-no: 01- 2119457892-27	1-5	Skin Corr. 1A, H314
Isotridecanol ethoxylated (8-EO)	CAS-No.: 9043-30-5 EC-No.: 931-785-6	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Issue date: 03/07/2022 Version: 1.0

BowstarEco HandiShot H6 Heavy Duty Cleaner Degreaser Conc.

C9-11 PARETH-8	CAS-No.: 68439-46-3	1– 5	AcuteTox. 4 (Oral), H302 Eye Dam. 1, H318
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl	CAS-No.: 90170-43-7	0.1 – 5	Eye Irrit. 2, H319
derivs., disodium salts	EC-No.: 290-476-8		Lye IIII. 2, 11010

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2	(0.5 ≤C < 2) Skin Irrit. 2, H315	
Jodian nyaroxide, dadsilo Joda	EC-No.: 215-185-5	(0.5 ≤C < 2) Eye Irrit. 2, H319	
	EC Index-No.: 011-002-	(2 ≤C < 5) Skin Corr. 1B, H314	
	00-6	(5 ≤C ≤ 100) Skin Corr. 1A, H314	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released. fire

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information : Disp

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do

not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective

equipment

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using

this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol
IOEL TWA	98 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	246 mg/m³
IOEL STEL [ppm]	50 ppm

sodium hydroxide; caustic soda (1310-73-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³

Regulatory reference EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur. Wash off any skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin problems that may develop.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Disposable gloves. Wear suitable gloves tested to EN374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear yellow liquid.
Odour : characteristic.

Odour threshold : No data available pН : 12.8 - 13.4Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available **Boiling point** : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 1.04 - 1.08 Solubility : No data available

Partition coefficient n-octanol/water (Log Pow)
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
Cxidising properties
Explosive limits

I No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)	
LD50 oral rat	> 470 mg/kg bodyweight
LD50 oral	> 1230 mg/kg bodyweight

LC50 Inhalation - Rat (Vapours)	>5.2 mg/l/4h
sodium hydroxide; caustic soda (13	10-73-2)
LD50 dermal rabbit	325 mg/kg Source: ECHA
Skin corrosion/irritation	: Causes severe skin burns.
	pH: 12.5 – 13.4
Serious eye damage/irritation	: Assumed to cause serious eye damage
	pH: 12.5 – 13.4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms..

Hazardous to the aquatic environment, short- : Not classified

term (acute)

Hazardous to the aquatic environment, long- : Not classified

term (chronic)

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)		
LC50 - Fish [1]	1550 mg/l	
EC50 - Crustacea [1]	1550 mg/l	
EC50 72h - Algae [1]	911 mg/l	
β-Alanine, N-(2-carboxyethyl)-, N-cocoalk	yl derivs., disodium salts (90170-43-7)	
LC50 - Fish [1]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name:	
	Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 29 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	≈ 5.5 mg/l Test organisms (species): Chlorella vulgaris	
EC50 72h - Algae [2]	≈ 9.4 mg/l Test organisms (species): Chlorella vulgaris	
NOEC (chronic)	≈ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	3.2 mg/l	
sodium hydroxide; caustic soda (1310-73	-2)	
LC50 - Fish [1]	125 mg/l	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

sodiumhydroxide;causticsoda(1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3267	UN3267	UN 3267	UN 3267	UN 3267
14.2. UN proper ship	ping name			
CORROSIVE LIQUID,	CORROSIVE LIQUID,	Corrosive liquid, basic,	CORROSIVE LIQUID,	CORROSIVE LIQUID,
BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE)	BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE)	organic, n.o.s. (CONTAINS SODIUM HYDROXIDE)	BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE)	BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE)
Transport document de			,	,
UN 3267 CORROSIVE	UN 3267 CORROSIVE	UN 3267 Corrosive	UN 3267 CORROSIVE	UN 3267 CORROSIVE
LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE), 8,II, (E)	LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE), 8, II	liquid, basic, organic, n.o.s. (CONTAINS SODIUM HYDROXIDE), 8, II	LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE), 8, II	LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS SODIUM HYDROXIDE), 8, II
14.3. Transport haza	rd class(es)	8	, , , , , , , , , , , , , , , , , , ,	111 B1 (O/(1BL), 0, 11
8	8		8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C7
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions : T11

(ADR)

Portable tank and bulk container special : TP2, TP27

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 3267

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) :1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T11 Tank special provisions (IMDG) : TP2, TP27 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : B : SW2 Stowage and handling (IMDG)

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C7
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C7
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions : T11

(RID)

Portable tank and bulk container special : TP2, TP27

provisions (RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (RestrictionList)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (AuthorisationList)

Contains no REACH Annex XIV substances

REACH Candidate List(SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

b

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4	Acute toxicity (inhal.), Category 4
(Inhalation)	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU